

# CAST STEEL VALVE

## 铸鋼

|                       |     |
|-----------------------|-----|
| 一般弁10K/20Kシリーズ        | SC1 |
| 一般弁クラス150/300/600シリーズ | SC2 |
| ボールバルブ 10K/20K        | SC3 |
| ボールバルブ クラス150/300     | SC4 |
| 高温用ボールバルブ             | SC4 |

## 一般弁10K/20Kシリーズ

| 名 称      | ゲート                                                                               |           | グローブ                                                                              |           | スイングチャッキ                                                                          |           | ゲート                                                                                 |            | グローブ                                                                                |           |
|----------|-----------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|-----------|
| 外 観      | 10K<br>国土                                                                         |           | 10K<br>国土                                                                         |           | 10K<br>国土                                                                         |           | 20K<br>国土                                                                           |            | 20K<br>国土                                                                           |           |
|          |  |           |  |           |  |           |  |            |  |           |
| 製品記号     | 10SCLS                                                                            |           | 10SCJS / G-10SCJS                                                                 |           | 10SCOS                                                                            |           | 20SCLS                                                                              |            | 20SCJS / G-20SCJS                                                                   |           |
| 呼び径      | 面間 (mm)                                                                           | 価格        | 面間 (mm)                                                                           | 価格        | 面間 (mm)                                                                           | 価格        | 面間 (mm)                                                                             | 価格         | 面間 (mm)                                                                             | 価格        |
| 50 2     | 178.0                                                                             | 165,000   | 203.0                                                                             | 207,000   | 203.0                                                                             | 151,000   | 216.0                                                                               | 221,000    | 267.0                                                                               | 253,000   |
| 65 2 1/2 | 190.0 ●                                                                           | 209,000   | 216.0 ●                                                                           | 247,000   | 216.0 ●                                                                           | 203,000   | 241.0 ●                                                                             | 311,000    | 292.0 ●                                                                             | 345,000   |
| 80 3     | 203.0 ●                                                                           | 219,000   | 241.0 ●                                                                           | 265,000   | 241.0 ●                                                                           | 213,000   | 283.0 ●                                                                             | 321,000    | 318.0 ●                                                                             | 370,000   |
| 100 4    | 229.0 ●                                                                           | 296,000   | 292.0 ●                                                                           | 377,000   | 292.0 ●                                                                           | 316,000   | 305.0 ●                                                                             | 423,000    | 356.0 ●                                                                             | 505,000   |
| 125 5    | 254.0 ●                                                                           | 452,000   | 356.0 ●                                                                           | 648,000   | 330.0 ●                                                                           | 479,000   | 381.0 ●                                                                             | 716,000    | 400.0 ●                                                                             | 1,034,000 |
| 150 6    | 267.0 ●                                                                           | 452,000   | 406.0 ●                                                                           | 717,000   | 356.0 ●                                                                           | 479,000   | 403.0 ●                                                                             | 716,000    | 444.0 G ●                                                                           | 1,251,000 |
| 200 8    | 292.0 ●                                                                           | 679,000   | 495.0 G ●                                                                         | 1,007,000 | 495.0 ●                                                                           | 733,000   | 419.0 ●                                                                             | 1,107,000  | 559.0 G ●                                                                           | 1,733,000 |
| 250 10   | 330.0 ●                                                                           | 1,080,000 | 622.0 G ●                                                                         | 1,763,000 | 622.0 ●                                                                           | 1,124,000 | 457.0 ●                                                                             | 1,731,000  | 622.0 G ●                                                                           | 3,213,000 |
| 300 12   | 356.0 ●                                                                           | 1,464,000 | 698.0 G ●                                                                         | 2,613,000 | 698.0 ●                                                                           | 1,632,000 | 502.0 ●                                                                             | 2,334,000  | 711.0 G ●                                                                           | 4,358,000 |
| 350 14   | 381.0                                                                             | 2,189,000 | 787.0 G ●                                                                         | ◎         | 787.0                                                                             | 2,280,000 | 762.0                                                                               | 3,854,000  |                                                                                     |           |
| 400 16   | 406.0                                                                             | 2,913,000 | 914.0 G ●                                                                         | ◎         | 864.0                                                                             | 2,640,000 | 838.0                                                                               | 5,448,000  |                                                                                     |           |
| 450 18   | 432.0                                                                             | 3,618,000 |                                                                                   |           | 978.0                                                                             | 3,917,000 | 914.0                                                                               | 6,193,000  |                                                                                     |           |
| 500 20   | 457.0                                                                             | 4,494,000 |                                                                                   |           | 978.0                                                                             | 4,572,000 | 991.0                                                                               | 7,992,000  |                                                                                     |           |
| 550 22   | 483.0                                                                             | ◎         |                                                                                   |           | 1067.0                                                                            | ◎         | 1092.0                                                                              | ◎          |                                                                                     |           |
| 600 24   | 508.0                                                                             | 6,363,000 |                                                                                   |           | 1295.0                                                                            | 7,274,000 | 1143.0                                                                              | 12,067,000 |                                                                                     |           |
| 備考       | ●：公共建築工事標準仕様書相当品                                                                  |           | ●：公共建築工事標準仕様書相当品                                                                  |           | ●：公共建築工事標準仕様書相当品                                                                  |           | ●：公共建築工事標準仕様書相当品                                                                    |            | ●：公共建築工事標準仕様書相当品                                                                    |           |

## 一般弁10K/20Kシリーズ

| 名 称      | スイングチャッキ                                                                            |           |
|----------|-------------------------------------------------------------------------------------|-----------|
| 外 観      | 20K<br>国土                                                                           |           |
|          |  |           |
| 製品記号     | 20SCOS                                                                              |           |
| 呼び径      | 面間 (mm)                                                                             | 価格        |
| 50 2     | 267.0                                                                               | 207,000   |
| 65 2 1/2 | 292.0 ●                                                                             | 283,000   |
| 80 3     | 318.0 ●                                                                             | 303,000   |
| 100 4    | 356.0 ●                                                                             | 400,000   |
| 125 5    | 400.0 ●                                                                             | 663,000   |
| 150 6    | 444.0 ●                                                                             | 663,000   |
| 200 8    | 533.0 ●                                                                             | 1,080,000 |
| 250 10   | 622.0 ●                                                                             | 1,674,000 |
| 300 12   | 711.0 ●                                                                             | 2,235,000 |
| 350 14   | 838.0                                                                               | 3,498,000 |
| 400 16   | 864.0                                                                               | 4,738,000 |
| 450 18   | 978.0                                                                               | 6,006,000 |
| 500 20   | 1016.0                                                                              | 7,669,000 |
| 600 24   | 1346.0                                                                              | ◎         |
| 備考       | ●：公共建築工事標準仕様書相当品                                                                    |           |

## 一般弁クラス150/300/600シリーズ

| 名 称      | ゲート     |                                                                                   | グローブ                |                                                                                   | スイングチャッキ |                                                                                   | ゲート     |                                                                                     | グローブ                |                                                                                     |
|----------|---------|-----------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------|---------------------|-------------------------------------------------------------------------------------|
| 外 観      | 150     |  | 150                 |  | 150      |  | 300     |  | 300                 |  |
|          |         |                                                                                   |                     |                                                                                   |          |                                                                                   |         |                                                                                     |                     |                                                                                     |
| 製品記号     | 150SCLS |                                                                                   | 150SCJS / G-150SCJS |                                                                                   | 150SCOS  |                                                                                   | 300SCLS |                                                                                     | 300SCJS / G-300SCJS |                                                                                     |
| 呼び径      | 面間 (mm) | 価格                                                                                | 面間 (mm)             | 価格                                                                                | 面間 (mm)  | 価格                                                                                | 面間 (mm) | 価格                                                                                  | 面間 (mm)             | 価格                                                                                  |
| 40 1 1/2 | 165.0   | 165,000                                                                           | 165.0               | 207,000                                                                           | 165.0    | 151,000                                                                           | 190.0   | 221,000                                                                             | 229.0               | 253,000                                                                             |
| 50 2     | 178.0   | 165,000                                                                           | 203.0               | 207,000                                                                           | 203.0    | 151,000                                                                           | 216.0   | 221,000                                                                             | 267.0               | 253,000                                                                             |
| 65 2 1/2 | 190.0   | 209,000                                                                           | 216.0               | 247,000                                                                           | 216.0    | 203,000                                                                           | 241.0   | 311,000                                                                             | 292.0               | 345,000                                                                             |
| 80 3     | 203.0   | 219,000                                                                           | 241.0               | 265,000                                                                           | 241.0    | 213,000                                                                           | 283.0   | 321,000                                                                             | 318.0               | 370,000                                                                             |
| 100 4    | 229.0   | 296,000                                                                           | 292.0               | 377,000                                                                           | 292.0    | 316,000                                                                           | 305.0   | 423,000                                                                             | 356.0               | 505,000                                                                             |
| 125 5    | 254.0   | 452,000                                                                           | 356.0               | 648,000                                                                           | 330.0    | 479,000                                                                           | 381.0   | 716,000                                                                             | 400.0               | 1,034,000                                                                           |
| 150 6    | 267.0   | 452,000                                                                           | 406.0               | 717,000                                                                           | 356.0    | 479,000                                                                           | 403.0   | 716,000                                                                             | 444.0 G             | 1,251,000                                                                           |
| 200 8    | 292.0   | 679,000                                                                           | 495.0 G             | 1,293,000                                                                         | 495.0    | 733,000                                                                           | 419.0   | 1,107,000                                                                           | 559.0 G             | 1,714,000                                                                           |
| 250 10   | 330.0   | 1,080,000                                                                         | 622.0 G             | 1,740,000                                                                         | 622.0    | 1,124,000                                                                         | 457.0   | 1,731,000                                                                           | 622.0 G             | 3,172,000                                                                           |
| 300 12   | 356.0   | 1,464,000                                                                         | 698.0 G             | 2,757,000                                                                         | 698.0    | 1,632,000                                                                         | 502.0   | 2,334,000                                                                           | 711.0 G             | 4,319,000                                                                           |
| 350 14   | 381.0   | 2,189,000                                                                         | 787.0 G             | ◎                                                                                 | 787.0    | 2,280,000                                                                         | 762.0   | 3,854,000                                                                           | 838.0 G             | ◎                                                                                   |
| 400 16   | 406.0   | 2,913,000                                                                         | 914.0 G             | ◎                                                                                 | 864.0    | 2,640,000                                                                         | 838.0   | 5,448,000                                                                           | 864.0 G             | ◎                                                                                   |
| 450 18   | 432.0   | 3,618,000                                                                         | 978.0 G             | ◎                                                                                 | 978.0    | 3,917,000                                                                         | 914.0   | 6,193,000                                                                           |                     |                                                                                     |
| 500 20   | 457.0   | 4,494,000                                                                         |                     |                                                                                   | 978.0    | 4,572,000                                                                         | 991.0   | 7,992,000                                                                           |                     |                                                                                     |
| 600 24   | 508.0   | 6,363,000                                                                         |                     |                                                                                   | 1295.0   | 7,274,000                                                                         | 1143.0  | 12,067,000                                                                          |                     |                                                                                     |
| 備考       |         |                                                                                   |                     |                                                                                   |          |                                                                                   |         |                                                                                     |                     |                                                                                     |

## 一般弁クラス150/300/600シリーズ

| 名 称      | スイングチャッキ |                                                                                     | ゲート     |                                                                                     | グローブ                |                                                                                     | スイングチャッキ |                                                                                       |
|----------|----------|-------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------|---------------------|-------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|
| 外 観      | 300      |  | 600     |  | 600                 |  | 600      |  |
|          |          |                                                                                     |         |                                                                                     |                     |                                                                                     |          |                                                                                       |
| 製品記号     | 300SCOS  |                                                                                     | 600SCLS |                                                                                     | 600SCJS / G-600SCJS |                                                                                     | 600SCOS  |                                                                                       |
| 呼び径      | 面間 (mm)  | 価格                                                                                  | 面間 (mm) | 価格                                                                                  | 面間 (mm)             | 価格                                                                                  | 面間 (mm)  | 価格                                                                                    |
| 40 1 1/2 | 241.0    | 188,000                                                                             |         |                                                                                     |                     |                                                                                     |          |                                                                                       |
| 50 2     | 267.0    | 207,000                                                                             | 292.0   | 397,000                                                                             | 292.0               | 354,000                                                                             | 292.0    | 303,000                                                                               |
| 65 2 1/2 | 292.0    | 283,000                                                                             | 330.0   | 556,000                                                                             | 330.0               | 632,000                                                                             | 330.0    | 427,000                                                                               |
| 80 3     | 318.0    | 303,000                                                                             | 356.0   | 618,000                                                                             | 356.0               | 716,000                                                                             | 356.0    | 452,000                                                                               |
| 100 4    | 356.0    | 400,000                                                                             | 432.0   | 894,000                                                                             | 432.0 G             | 1,139,000                                                                           | 432.0    | 676,000                                                                               |
| 125 5    | 400.0    | 663,000                                                                             | 508.0   | ◎                                                                                   |                     |                                                                                     |          |                                                                                       |
| 150 6    | 444.0    | 663,000                                                                             | 559.0   | 1,613,000                                                                           | 559.0 G             | 2,265,000                                                                           | 559.0    | 1,215,000                                                                             |
| 200 8    | 533.0    | 1,080,000                                                                           | 660.0   | 2,520,000                                                                           | 660.0 G             | 3,977,000                                                                           | 660.0    | 1,999,000                                                                             |
| 250 10   | 622.0    | 1,674,000                                                                           | 787.0   | 3,754,000                                                                           | 787.0 G             | ◎                                                                                   | 787.0    | 2,679,000                                                                             |
| 300 12   | 711.0    | 2,235,000                                                                           | 838.0   | 5,358,000                                                                           | 838.0 G             | ◎                                                                                   | 838.0    | 3,362,000                                                                             |
| 350 14   | 838.0    | 3,498,000                                                                           | 889.0   | ◎                                                                                   |                     |                                                                                     | 889.0    | 5,937,000                                                                             |
| 400 16   | 864.0    | 4,738,000                                                                           | 991.0   | ◎                                                                                   |                     |                                                                                     | 991.0    | 8,223,000                                                                             |
| 450 18   | 978.0    | 6,006,000                                                                           | 1092.0  | ◎                                                                                   |                     |                                                                                     | 1092.0   | 11,671,000                                                                            |
| 500 20   | 1016.0   | ◎                                                                                   |         |                                                                                     |                     |                                                                                     | 1194.0   | 16,374,000                                                                            |
| 600 24   | 1346.0   | ◎                                                                                   |         |                                                                                     |                     |                                                                                     | 1397.0   | 24,209,000                                                                            |
| 備考       |          |                                                                                     |         |                                                                                     |                     |                                                                                     |          |                                                                                       |

## ボールバルブ

| 名 称      | ボール                                                                                    |        | ボール                                                                                    |        | ボール                                                                                     |    |
|----------|----------------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------|----|
| 外 観      | 600型  |        | 800型  |        | 3000型  |    |
|          |       |        |       |        |        |    |
| 製品記号     | SCTK                                                                                   |        | 800SCTK                                                                                |        | 3000SCTK                                                                                |    |
| 呼び径      | 面間 (mm)                                                                                | 価格     | 面間 (mm)                                                                                | 価格     | 面間 (mm)                                                                                 | 価格 |
| 8 1/4    | 39.0                                                                                   | 6,520  | 88.0                                                                                   | 21,100 | 88.0                                                                                    | ◎  |
| 10 3/8   | 44.0                                                                                   | 6,710  | 88.0                                                                                   | 21,100 | 88.0                                                                                    | ◎  |
| 15 1/2   | 56.5                                                                                   | 7,630  | 88.0                                                                                   | 21,100 | 88.0                                                                                    | ◎  |
| 20 3/4   | 59.0                                                                                   | 8,860  | 90.0                                                                                   | 28,300 | 90.0                                                                                    | ◎  |
| 25 1     | 71.0                                                                                   | 11,900 | 105.0                                                                                  | 34,400 | 105.0                                                                                   | ◎  |
| 32 1 1/4 | 78.0                                                                                   | 20,300 | 117.0                                                                                  | 46,200 | 117.0                                                                                   | ◎  |
| 40 1 1/2 | 83.0                                                                                   | 24,800 | 130.0                                                                                  | 56,600 | 130.0                                                                                   | ◎  |
| 50 2     | 100.0                                                                                  | 34,400 | 150.0                                                                                  | 76,200 | 150.0                                                                                   | ◎  |
| 備考       | ボア径：レデューストボア                                                                           |        | ボア径：レデューストボア                                                                           |        | ボア径：レデューストボア                                                                            |    |

## ボールバルブ 10K/20K

| 名 称      | ボール                                                                                     |             | ボール                                                                                     |             | ボール                                                                                     |             | ボール                                                                                       |           |
|----------|-----------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------|-----------|
| 外 観      | 10K  |             | 10K  |             | 20K  |             | 20K  |           |
|          |      |             |      |             |      |             |      |           |
| 製品記号     | 10SCTDZ / G-10SCTDZ                                                                     |             | 10SCTR / G-10SCTR                                                                       |             | 20SCTDZ                                                                                 |             | 20SCTR                                                                                    |           |
| 呼び径      | 面間 (mm)                                                                                 | 価格          | 面間 (mm)                                                                                 | 価格          | 面間 (mm)                                                                                 | 価格          | 面間 (mm)                                                                                   | 価格        |
| 15 1/2   | 108.0                                                                                   | 33,800      |                                                                                         |             | 140.0                                                                                   | 46,200      |                                                                                           |           |
| 20 3/4   | 117.0                                                                                   | 38,700      |                                                                                         |             | 152.0                                                                                   | 52,400      |                                                                                           |           |
| 25 1     | 127.0                                                                                   | 53,800      |                                                                                         |             | 165.0                                                                                   | 65,200      |                                                                                           |           |
| 40 1 1/2 | 165.0                                                                                   | 71,000      |                                                                                         |             | 190.0                                                                                   | 91,700      |                                                                                           |           |
| 50 2     | 178.0                                                                                   | 90,600      |                                                                                         |             | 216.0                                                                                   | 119,000     |                                                                                           |           |
| 65 2 1/2 | 190.0                                                                                   | 134,000     |                                                                                         |             | 241.0                                                                                   | 198,000     |                                                                                           |           |
| 80 3     | 203.0                                                                                   | 163,000     |                                                                                         |             | 283.0                                                                                   | 242,000     |                                                                                           |           |
| 100 4    | 229.0                                                                                   | 222,000     |                                                                                         |             | 305.0                                                                                   | * 330,000   |                                                                                           |           |
| 125 5    | 356.0                                                                                   | * 459,000   | 254.0                                                                                   | * 314,000   | 381.0                                                                                   | * 532,000   |                                                                                           |           |
| 150 6    | 394.0                                                                                   | * 553,000   | 267.0                                                                                   | * 462,000   | 403.0                                                                                   | * 733,000   | 403.0                                                                                     | 652,000   |
| 200 8    | 457.0                                                                                   | * 924,000   | 292.0                                                                                   | * 675,000   | 502.0                                                                                   | * 1,268,000 | 419.0                                                                                     | 995,000   |
| 250 10   | 533.0                                                                                   | G 1,985,000 | 330.0                                                                                   | * 990,000   |                                                                                         |             | 457.0                                                                                     | 1,448,000 |
| 300 12   |                                                                                         |             | 356.0                                                                                   | G 1,977,000 |                                                                                         |             |                                                                                           |           |
| 備考       | ボア径：フルボア<br>*：ギア操作機対応可                                                                  |             | ボア径：レデューストボア<br>*：ギア操作機対応可                                                              |             | ボア径：フルボア<br>*：ギア操作機対応可                                                                  |             | ボア径：レデューストボア                                                                              |           |

## ボールバルブ クラス150/300

| 名 称      | ボール                                                                               |           | ボール                                                                               |           | ボール                                                                               |           | ボール                                                                                 |           |
|----------|-----------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|-----------|
| 外 観      | 150                                                                               |           | 150                                                                               |           | 300                                                                               |           | 300                                                                                 |           |
|          |  |           |  |           |  |           |  |           |
| 製品記号     | 150SCTDZ / G-150SCTDZ                                                             |           | 150SCTR / G-150SCTR                                                               |           | 300SCTDZ                                                                          |           | 300SCTR                                                                             |           |
| 呼び径      | 面間 (mm)                                                                           | 価格        | 面間 (mm)                                                                           | 価格        | 面間 (mm)                                                                           | 価格        | 面間 (mm)                                                                             | 価格        |
| 15 1/2   | 108.0                                                                             | 33,800    |                                                                                   |           | 140.0                                                                             | 48,900    |                                                                                     |           |
| 20 3/4   | 117.0                                                                             | 38,700    |                                                                                   |           | 152.0                                                                             | 55,300    |                                                                                     |           |
| 25 1     | 127.0                                                                             | 53,800    |                                                                                   |           | 165.0                                                                             | 68,500    |                                                                                     |           |
| 40 1 1/2 | 165.0                                                                             | 71,000    |                                                                                   |           | 190.0                                                                             | 98,100    |                                                                                     |           |
| 50 2     | 178.0                                                                             | 90,600    |                                                                                   |           | 216.0                                                                             | 127,000   |                                                                                     |           |
| 65 2 1/2 | 190.0                                                                             | 134,000   |                                                                                   |           | 241.0                                                                             | 209,000   |                                                                                     |           |
| 80 3     | 203.0                                                                             | 172,000   |                                                                                   |           | 283.0                                                                             | 253,000   |                                                                                     |           |
| 100 4    | 229.0                                                                             | 233,000   |                                                                                   |           | 305.0                                                                             | 347,000   |                                                                                     |           |
| 125 5    | 356.0                                                                             | 479,000   | 254.0                                                                             | 329,000   |                                                                                   |           |                                                                                     |           |
| 150 6    | 394.0 *                                                                           | 579,000   | 267.0 *                                                                           | 484,000   | 403.0 *                                                                           | 791,000   | 403.0 *                                                                             | 674,000   |
| 200 8    | 457.0 *                                                                           | 967,000   | 292.0 *                                                                           | 711,000   | 502.0 *                                                                           | 1,366,000 | 419.0 *                                                                             | 1,033,000 |
| 250 10   | 533.0 G                                                                           | 2,077,000 | 330.0 *                                                                           | 1,044,000 |                                                                                   |           | 457.0 *                                                                             | 1,507,000 |
| 300 12   |                                                                                   |           | 356.0 G                                                                           | 2,069,000 |                                                                                   |           |                                                                                     |           |
| 備考       | ボア径：フルボア<br>*：ギア操作機対応可                                                            |           | ボア径：レデューストボア<br>*：ギア操作機対応可                                                        |           | ボア径：フルボア<br>*：ギア操作機対応可                                                            |           | ボア径：レデューストボア<br>*：ギア操作機対応可                                                          |           |

## 高温用ボールバルブ

| 名 称      | フィルタイトシート [1H]                                                                      |           | フィルタイトシート [1H]                                                                      |           | フィルタイトシート [1H]                                                                      |           | フィルタイトシート [1H]                                                                        |           | カーボタイトシート [3H]                                                                        |           |
|----------|-------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------|-----------|
| 外 観      | 10K                                                                                 |           | 20K                                                                                 |           | 150                                                                                 |           | 300                                                                                   |           | 10K                                                                                   |           |
|          |  |           |  |           |  |           |  |           |  |           |
| 製品記号     | 10SCTDZ1H / G-10SCTDZ1H                                                             |           | 20SCTDZ1H / G-20SCTDZ1H                                                             |           | 150SCTDZ1H / G-150SCTDZ1H                                                           |           | 300SCTDZ1H / G-300SCTDZ1H                                                             |           | 10SCTDZ3H / G-10SCTDZ3H                                                               |           |
| 呼び径      | 面間 (mm)                                                                             | 価格        | 面間 (mm)                                                                             | 価格        | 面間 (mm)                                                                             | 価格        | 面間 (mm)                                                                               | 価格        | 面間 (mm)                                                                               | 価格        |
| 15 1/2   | 108.0                                                                               | 67,100    | 140.0                                                                               | 79,500    | 108.0                                                                               | 70,200    | 140.0                                                                                 | 81,800    | 108.0                                                                                 | 97,300    |
| 20 3/4   | 117.0                                                                               | 79,900    | 152.0                                                                               | 93,500    | 117.0                                                                               | 84,000    | 152.0                                                                                 | 96,500    | 117.0                                                                                 | 117,000   |
| 25 1     | 127.0                                                                               | 96,500    | 165.0                                                                               | 108,000   | 127.0                                                                               | 101,000   | 165.0                                                                                 | 112,000   | 127.0                                                                                 | 140,000   |
| 40 1 1/2 | 165.0                                                                               | 137,000   | 190.0                                                                               | 157,000   | 165.0                                                                               | 142,000   | 190.0                                                                                 | 163,000   | 165.0                                                                                 | 200,000   |
| 50 2     | 178.0                                                                               | 160,000   | 216.0                                                                               | 190,000   | 178.0                                                                               | 169,000   | 216.0                                                                                 | 196,000   | 178.0                                                                                 | 235,000   |
| 65 2 1/2 | 190.0                                                                               | 249,000   | 241.0                                                                               | 313,000   | 190.0                                                                               | 262,000   | 241.0                                                                                 | 324,000   | 190.0                                                                                 | 357,000   |
| 80 3     | 203.0                                                                               | 301,000   | 283.0                                                                               | 379,000   | 203.0                                                                               | 314,000   | 283.0                                                                                 | 387,000   | 203.0                                                                                 | 426,000   |
| 100 4    | 229.0                                                                               | 403,000   | 305.0 G                                                                             | 600,000   | 229.0                                                                               | 420,000   | 305.0 G                                                                               | 630,000   | 229.0                                                                                 | 579,000   |
| 125 5    | 356.0 G                                                                             | 836,000   | 381.0 G                                                                             | 857,000   | 356.0 G                                                                             | 871,000   | 381.0 G                                                                               | ◎         | 356.0 G                                                                               | 1,063,000 |
| 150 6    | 394.0 G                                                                             | 1,050,000 | 403.0 G                                                                             | 1,215,000 | 394.0 G                                                                             | 1,096,000 | 403.0 G                                                                               | 1,287,000 | 394.0 G                                                                               | 1,468,000 |
| 200 8    | 457.0 G                                                                             | 1,633,000 | 502.0 G                                                                             | 1,954,000 | 457.0 G                                                                             | 1,703,000 | 502.0 G                                                                               | 2,076,000 | 457.0 G                                                                               | 2,256,000 |
| 250 10   | 533.0 G                                                                             | 3,058,000 |                                                                                     |           | 533.0 G                                                                             | 3,200,000 |                                                                                       |           |                                                                                       |           |
| 備考       | ボア径：フルボア                                                                            |           | ボア径：フルボア                                                                            |           | ボア径：フルボア                                                                            |           | ボア径：フルボア                                                                              |           | ボア径：フルボア                                                                              |           |



## 高温用ボールバルブ

| 名 称  | カーボタイトシート [3H]                                                                           | カーボタイトシート [3H]                                                                           | カーボタイトシート [3H]                                                                           | メタボール [5H]                                                                                 | メタボール [5H]                                                                                 |
|------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| 外 観  | 20K<br> | 150<br> | 300<br> | 10K<br> | 20K<br> |
| 製品記号 | 20SCTDZ3H / G-20SCTDZ3H                                                                  | 150SCTDZ3H / G-150SCTDZ3H                                                                | 300SCTDZ3H / G-300SCTDZ3H                                                                | 10SCTDZ5H / G-10SCTDZ5H                                                                    | 20SCTDZ5H / G-20SCTDZ5H                                                                    |
| 呼び径  | 面間 (mm)                                                                                  | 面間 (mm)                                                                                  | 面間 (mm)                                                                                  | 面間 (mm)                                                                                    | 面間 (mm)                                                                                    |
| 15   | 140.0                                                                                    | 108.0                                                                                    | 140.0                                                                                    | 108.0                                                                                      | 140.0                                                                                      |
| 20   | 152.0                                                                                    | 117.0                                                                                    | 152.0                                                                                    | 117.0                                                                                      | 152.0                                                                                      |
| 25   | 165.0                                                                                    | 127.0                                                                                    | 165.0                                                                                    | 127.0                                                                                      | 165.0                                                                                      |
| 40   | 190.0                                                                                    | 165.0                                                                                    | 190.0                                                                                    | 165.0                                                                                      | 190.0                                                                                      |
| 50   | 216.0                                                                                    | 178.0                                                                                    | 216.0                                                                                    | 178.0                                                                                      | 216.0                                                                                      |
| 65   | 241.0                                                                                    | 190.0                                                                                    | 241.0                                                                                    | 190.0                                                                                      | 241.0                                                                                      |
| 80   | 283.0                                                                                    | 203.0                                                                                    | 283.0                                                                                    | 203.0                                                                                      | 283.0                                                                                      |
| 100  | 305.0 G                                                                                  | 229.0                                                                                    | 305.0 G                                                                                  | 229.0                                                                                      | 305.0 G                                                                                    |
| 125  | 381.0 G                                                                                  | 356.0 G                                                                                  | 356.0 G                                                                                  | 356.0 G                                                                                    | 381.0 G                                                                                    |
| 150  | 403.0 G                                                                                  | 394.0 G                                                                                  | 403.0 G                                                                                  | 394.0 G                                                                                    | 403.0 G                                                                                    |
| 200  | 502.0 G                                                                                  | 457.0 G                                                                                  | 502.0 G                                                                                  | 457.0 G                                                                                    | 502.0 G                                                                                    |
| 備考   | ボア径：フルボア                                                                                 | ボア径：フルボア                                                                                 | ボア径：フルボア                                                                                 | ボア径：フルボア                                                                                   | ボア径：フルボア                                                                                   |

## 高温用ボールバルブ

| 名 称  | メタボール [5H]                                                                                 | メタボール [5H]                                                                                 | メタボール [6H]                                                                                 | メタボール [6H]                                                                                   | メタボール [6H]                                                                                   |
|------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| 外 観  | 150<br> | 300<br> | 10K<br> | 20K<br> | 150<br> |
| 製品記号 | 150SCTDZ5H / G-150SCTDZ5H                                                                  | 300SCTDZ5H / G-300SCTDZ5H                                                                  | 10SCTDZ6H / G-10SCTDZ6H                                                                    | 20SCTDZ6H / G-20SCTDZ6H                                                                      | 150SCTDZ6H / G-150SCTDZ6H                                                                    |
| 呼び径  | 面間 (mm)                                                                                    | 面間 (mm)                                                                                    | 面間 (mm)                                                                                    | 面間 (mm)                                                                                      | 面間 (mm)                                                                                      |
| 15   | 108.0                                                                                      | 140.0                                                                                      | 108.0                                                                                      | 140.0                                                                                        | 108.0                                                                                        |
| 20   | 117.0                                                                                      | 152.0                                                                                      | 117.0                                                                                      | 152.0                                                                                        | 117.0                                                                                        |
| 25   | 127.0                                                                                      | 165.0                                                                                      | 127.0                                                                                      | 165.0                                                                                        | 127.0                                                                                        |
| 40   | 165.0                                                                                      | 190.0                                                                                      | 165.0                                                                                      | 190.0                                                                                        | 165.0                                                                                        |
| 50   | 178.0                                                                                      | 216.0                                                                                      | 178.0                                                                                      | 216.0                                                                                        | 178.0                                                                                        |
| 65   | 190.0                                                                                      | 241.0                                                                                      | 190.0                                                                                      | 241.0                                                                                        | 190.0                                                                                        |
| 80   | 203.0                                                                                      | 283.0                                                                                      | 203.0                                                                                      | 283.0                                                                                        | 203.0                                                                                        |
| 100  | 229.0                                                                                      | 305.0 G                                                                                    | 229.0                                                                                      | 305.0 G                                                                                      | 229.0                                                                                        |
| 125  | 356.0 G                                                                                    | 356.0 G                                                                                    | 356.0 G                                                                                    | 381.0 G                                                                                      | 356.0 G                                                                                      |
| 150  | 394.0 G                                                                                    | 403.0 G                                                                                    | 394.0 G                                                                                    | 403.0 G                                                                                      | 394.0 G                                                                                      |
| 200  | 457.0 G                                                                                    | 502.0 G                                                                                    | 457.0 G                                                                                    | 502.0 G                                                                                      | 457.0 G                                                                                      |
| 備考   | ボア径：フルボア                                                                                   | ボア径：フルボア                                                                                   | ボア径：フルボア                                                                                   | ボア径：フルボア                                                                                     | ボア径：フルボア                                                                                     |

## 高温用ボールバルブ

| 名 称      | メタボール [6H]                                                                        |                                                                                   |
|----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 外 観      | 300                                                                               |  |
|          |  |                                                                                   |
| 製品記号     | 300SCTDZ6H / G-300SCTDZ6H                                                         |                                                                                   |
| 呼び径      | 面間 (mm)                                                                           | 価格                                                                                |
| 15 1/2   | 140.0                                                                             | 167,000                                                                           |
| 20 3/4   | 152.0                                                                             | 206,000                                                                           |
| 25 1     | 165.0                                                                             | 253,000                                                                           |
| 40 1 1/2 | 190.0                                                                             | 367,000                                                                           |
| 50 2     | 216.0                                                                             | 563,000                                                                           |
| 65 2 1/2 | 241.0                                                                             | 807,000                                                                           |
| 80 3     | 283.0                                                                             | 999,000                                                                           |
| 100 4    | 305.0 G                                                                           | 1,382,000                                                                         |
| 150 6    | 403.0 G                                                                           | 3,764,000                                                                         |
| 200 8    | 502.0 G                                                                           | 5,243,000                                                                         |
| 備考       | ボア径：フルボア                                                                          |                                                                                   |